





RIVA STUDIO

### Expert Retailer Network

We take great care to ensure that our fires are designed, tested and manufactured to the highest possible quality and safety standards.

We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and visual; and ensure that you select the most appropriate product for your home. They will also be able to advise on, or assist, with the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

Furthermore, Stovax stoves purchased from within our Expert Retailer Network will have the additional benefit of a greatly extended warranty period, subject to terms and conditions. Full details can be found at www.stovax.com.





## RIVA STUDIO

### Innovation & Inspiration

The fireplace is the heart of your home, a centrepiece to which friends and family gather and an opportunity for you to express your own individual design tastes.

The Riva Studio range of cassette and freestanding fires has been designed to create a striking feature in your living space with their enticing widescreen flame visuals complemented by an extensive array of frames and styling options. The pure, simplistic form of the Riva Studio belies the high levels of engineering and technical innovation that keeps this range not only at the forefront of twenty first century fire design, but also exceptional heating performance and controllability.

### Woodburning

All Riva Studio models are designed for woodburning only. Wood is an environmentally friendly fuel; when burnt, the carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth. It is also a renewable resource, particularly when derived from plantations and cultivated woodland.



For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%. This will not only give a higher output than of freshly felled timber but will also help to avoid a build up of tar in your flue. Furthermore, if you can obtain hardwood logs this is better still, as they will have a greatly increased calorific value compared to softwoods.





### Contents

#### **Cassette Fires**

Riva Studio	Profil	10 - 1	1
Riva Studio	Ceramica Wave	12 - 1	3
Riva Studio	Edge	14 - 1	5
Riva Studio	Edge +	16 - 1	7
Riva Studio	Glass	18 - 1	9
Riva Studio	Steel	20 - 2	21
Riva Studio	Steel XS	22 - 2	23
Riva Studio	Verve	24 - 2	25
Riva Studio	Bauhaus	26 - 2	27
Riva Studio	Firenza, Pienza & Sienna	28 - 2	9

#### **Hearth Mounted Fires**

Riva Studio Sorrento	3
----------------------	---

#### **Double Sided Cassette Fires**

Riva Studio Duplex32	- 35
----------------------	------

#### **Bench Mounted Fires**

- 1	(IVa	Studio	Bench	Glass	Ōχ	Stee	l	చ	0	- ,	J.

#### **Freestanding Fires**

Riva Studio 500	38	- 39
Riva Studio 1	40	- 41
Riva Studio 2	42	- 43
Riva Studio 3	44	- 45
Coloured Frame Options	46	- 47

#### **Technical Information**

Fire Information	48 -	4
Frame Information	50 -	51
Further Information	52 -	5



## RIVA STUDIO

# High Efficiency Cassette & Freestanding Fires

Stovax's dedication to the development of premium quality stoves and fireplaces over the past 30 years has helped to make it one



of Europe's leading specialist manufacturers. Now the company's expertise has brought woodburning technology to the very pinnacle of performance and design with the Riva Studio range of fireplaces.

Expertly designed, the Riva Studio's clean, contemporary lines complement modern interiors and incorporate Stovax's technically advanced cleanburn combustion systems, which provide outstanding flame pictures and superior heating efficiencies, powerful airwash systems to help keep the window clean and the facility for practical options such as fan-assisted convection and multi-space heating.

To own a Riva Studio is to make a design statement that will become a heart-warming focal point to your home. There are several different styling options from the simple Edge or Cool Wall kits to the larger format Steel, Glass or Ceramic frames, there are even several Freestanding, Bench mounted & Hearth mounted models to ensure that there will be a Riva Studio just right for you.

Just as importantly, by burning logs, the Riva Studio fires use an energy source that is carbon neutral, renewable and infinitely better for our environment.

### Key Design Features










Stovax Riva Studio™ fires feature the very latest cleanburn combustion systems, allowing them to burn logs with outstanding efficiency, resulting in more heat delivery into the room and less going up the chimney.

This technological advancement is achieved by introducing preheated, secondary air into the firebox to burn the excess hydrocarbons in the smoke. Airwash air flow also helps keep the window clean, allowing you to enjoy the flames to the full. The Riva Studio™ offers you full control of flame aesthetics. From a lazy roll to a lively roar, you can adjust your fire to suit your mood. The doors on the Studio 500, 1 and 2 are hinged to the left whilst the larger Studio 3 doors open downwards, minimising the risk of ash falling beyond the hearth and into the room.

#### Riva Studio design features

- TCL (Technical Combustion Lining)
   High density thermal liner system
- 2. Heated air jets from cleanburn ports burn hydrocarbons in smoke
- 3. Airwash air flow
- 4. Primary control
- 5. Removable handle (Studio 500, 1, 2 & 3) and door opening catch (Studio 500, 1 & 2)
- 6. Convected and radiant heat
- 7. Convected heat ducting system outlet
- 8. Easy fit flue connection
- 9. Removable baffles
- 10. External air facility (cassettes only)
- 11. Optional fan kit (cassettes only)
- 12. Optional 10° flue outlet (cassettes only not illustrated)
- 13. Optional Smoke Control Kit (Studio 500<sup>†</sup>, 1 & 2 only not illustrated)



<sup>\*</sup> Illustration shows cassette fire with frame.

<sup>†</sup> When fitted with an Optional External Air Kit

### Smoke Control Area Approved

Many town and city homes are located in Smoke Control Areas as designated by the Clean Air Act 1993. The Riva Studio 500, 1 and 2 cassette and freestanding fires, when fitted with the appropriate kit, have been approved for the burning of wood in these areas meaning that even the most urban of homes can benefit from this environmentally friendly fuel source.



### 5 Year Extended Warranty

When you choose a Stovax Riva Studio cassette or freestanding fire, quality and technology are assured. Accordingly, your Stovax retailer Stovax Expert Retailer will provide you with a Five Year Extended Warranty for your new Riva Studio cassette or freestanding fire, provided it is registered with Stovax. Please note, this warranty excludes certain consumable parts. Stoves purchased outside of Stovax's Expert Retailer Network will carry a standard 1 Year Warranty. Full warranty terms & conditions are available to view at www.stovax.com



### Fireplace Tile Surrounds

Stovax has designed a unique collection of 34 porcelain and natural stone tiles to complement your Riva Studio installation.

Our fireplace tiles are the perfect enhancement, creating the ultimate contemporary look and adding further tonal and textural interest to a room. Whether you choose to set off your Studio with contrasting colours or add to your existing palette, there are many possibilities and ways to ensure your Riva Studio is perfectly suited to your home and decorative tastes.





## RIVA STUDIO CASSETTE SIZE OPTIONS

Riva Studio<sup>TM</sup> cassettes are available in five sizes including the Double-Sided Riva Studio<sup>TM</sup> 2 Duplex, each with a wide variety of frame options. From glass and steel to ceramic and stone, there will be a frame to suit your own personal taste and style. Alternatively the Studio can be fitted with an Edge kit for a more minimalist appearance. This brochure is organised by frame style - but your first decision is to identify the correct Studio size and heat output for your room, and then select the frame style to suit your home.

	Heat Outputs	Dimensions mm (wxhxd)*	Max. log length
Studio 500	5.0kW	555 x 415 x 350	250mm (10")
Studio 1	5.0kW	745 x 415 x 350	300mm (12")
Studio 2	8.0kW	950 x 440 x 350	400mm (16")
Studio 2 Duplex	9.0kW	950 x 550 x 402-414 (Adjustable Depth)	400mm (16")
Studio 3	11.0kW	1332 x 450 x 393	500mm (20")

<sup>\*</sup> Firebox dimensions


For Riva Studio<sup>TM</sup> 2 Duplex please see page 32 - 35.

#### Top:

Riva Studio 500 Edge + in Jet Black Metallic.

### Bottom:

Riva Studio 1 Profil in Jet Black Metallic.



#### Key features for all Studio sizes

- High efficiency up to 80%
- Boost setting for lighting and re-fueling
- Removable steel and TCL baffles
- TCL firebox lining
- Radiant heat and convected heat
- External air facility (cassette only)
- Optional fan-assisted convection system (cassette only)
- Optional warm air ducting system
- Top flue connection (internal Ø) 153mm (6")
- Suitable for Smoke Control Areas\*

#### **Riva Studio Cassette Options:**

Fireplace Tile Surround Packages	Please see page 5
External air kit for all single sided cassettes	RVS-AIR
External air kit for Riva Studio™ 2 Duplex	RVS-2DSAIR
Studio 500 Fan-assisted convection kit (240v)	RVS-500FAN
Studio 1 Fan-assisted convection kit (240v)	RVS-SFAN
Studio 2/3 Fan-assisted convection kit (240v)	RVS-LFAN
Warm air ducting kit**	8572
10° angled flue outlet**	RVS-CA7589
Smoke Control Kit - Riva Studio™ 500	RVS-500SCKIT
Smoke Control Kit - Riva Studio <sup>TM</sup> 1	RVS-1 SCKIT
Smoke Control Kit - Riva Studio™ 2	RVS-2SCKIT
Smoke Control Kit - Riva Studio™ 2 Duplex	RVS-2DSSCKIT

<sup>\*</sup> Sizes 500, 1 and 2 only. When fitted with a Smoke Control Kit and used in accordance with the operating instructions.

**Top** Riva Studio 2 Bauhaus in Jet Black Metallic.

#### Bottom:

Riva Studio 3 Edge 'Cool Wall'.



RIVA | STUDIO 3



<sup>\*\*</sup> Please see page 55 for further details

## RIVA STUDIO STYLING OPTIONS

These pages outline the many different frame options available for the Riva Studio™ fires., all of which are shown in detail throughout the brochure. From the frameless Edge to the impressive Verve, these frame options have all been designed specifically to complement the visuals of the Riva Studio™ cassette and offer you a spectrum of different styles and materials. There are even Freestanding, Bench mounted and Hearth mounted versions so you can be sure to find a fire that will be perfect for your home, making your Riva Studio<sup>TM</sup> a focal point that the whole family will warm to.

### Riva Studio Coloured Frame Options



For those who want to add a splash of colour to their living space, the Riva Studio<sup>TM</sup> Profil, Bauhaus, Verve and Steel and Steel XS frames are also available in four eyecatching colours: Metallic Red, Metallic Blue, Metallic Bronze and Ivory. For full details, please see pages 46 - 47.

### Riva Studio Visualiser iPad App



To aid you with your fire selection, why not download the Stovax Riva Studio™ Visualiser app for your iPad? Convenient and easy to use, the app gives you a visual concept of having a real Riva Studio™ in your room. Please see page 54 for further information.

Styling Options	Pages	Studio 500	Studio 1	Studio 2	Studio 2 Duplex	Studio 3
Profil	10 to 11	✓	✓	✓	✓	✓
Ceramica Wave	12 to 13	-	✓	$\checkmark$	✓	-
Edge / Edge 'Cool Wall'	14 to 15	✓	✓	✓	✓	✓
Edge +	16 to 17	$\checkmark$	✓	$\checkmark$	$\checkmark$	$\checkmark$
Glass	18 to 19	✓	✓	✓	✓	✓
Steel	20 to 21	$\checkmark$	✓	$\checkmark$	$\checkmark$	$\checkmark$
Steel XS	22 to 23	-	-	✓	✓	-
Verve	24 to 25	✓	✓	$\checkmark$	✓	$\checkmark$
Bauhaus	26 to 27	✓	✓	✓	✓	✓
Firenza	28 to 29	-	✓	$\checkmark$	✓	-
Pienza	28 to 29	-	✓	✓	✓	-
Sienna	28 to 29	-	✓	$\checkmark$	$\checkmark$	-
Sorrento	30 to 31	✓	✓	✓	✓	-
Bench (Steel & Glass frames)	36 to 37	-	✓	✓	-	$\checkmark$
Freestanding (complete product)	38 to 45	✓	✓	✓	-	✓



Riva Studio Edge



Riva Studio Edge +



Riva Studio Freestanding





Riva Studio Sorrento - Natural Limestone and Polished Black Granite



Riva Studio Profil



Riva Studio Bauhaus - Polished Stainless Steel



Riva Studio Bauhaus - Jet Black Metallic



Riva Studio Steel XS



(aerial view below)

Riva Studio Verve (horizontal curve)







Riva Studio Glass



Riva Studio Sienna



Riva Studio Firenza



Riva Studio Pienza



Riva Studio Steel



Riva Studio Ceramica Wave - Graphite



Riva Studio Ceramica Wave -Oyster White



Riva Studio Ceramica Wave -Oyster White & Graphite

## RIVA STUDIO PROFIL



Fire sizes	Studio 500	Studio 1	Studio 2	Studio 2 Duplex	Studio 3
Heat outputs	5.0kW	5.0kW	8.0kW	9.0kW	11.0kW
Maximum log lengths	250mm (10")	300mm (12")	400mm (16")	400mm (16")	500mm (20")
Frame dimensions mm (wxhxd)	646 x 517 x 33	839 x 517 x 33	1039 x 542 x 33	1089 x 592 x 33	1426 x 547 x 45















The Studio Profil features ultra contemporary styling that fits in perfectly with all modern interiors. Furthermore, the Studio Profil is finished in Jet Black Metallic and is available on all sizes of Riva Studio™ fires.

If you wish to add a splash of colour to your home, you can customise your Studio Profil with one of four additional colour finishes available in either Metallic Red, Metallic Blue, Metallic Bronze or Ivory. Please see pages 46 - 47 for further information.

In addition, by fitting the optional ducting system you can also heat up to two adjacent living spaces with your Riva Studio<sup>TM</sup> 500, 1, 2 and 2 Duplex and up to four when you chose a Riva Studio<sup>TM</sup> 3.

Further images of the Riva Studio<sup>TM</sup> Profil are shown on the front cover and pages 5 and 51.

Left:

Riva Studio 1 Profil.

Right:

Riva Studio 3 Profil shown with Cape Town Grey 60 x 30cm Fireplace Tile Surround.





## RIVA STUDIO CERAMICA WAVE

The very latest in fire design. It is hard not to warm to the outstanding modern appeal of the Riva Studio<sup>TM</sup> Ceramica Wave. Specially designed for contemporary living, this stunning frame is available in a choice of three finishes for the Riva Studio<sup>TM</sup> 1, 2 and 2 Duplex.


Whether you opt for the dramatic all Graphite frame, the minimalist Oyster White frame or the contrasting Graphite and Oyster White frame, the Riva Studio<sup>TM</sup> Ceramica Wave will create an impressive focal feature - even when the fire is off.





Riva Studio 1 Ceramica Wave in Graphite & Oyster White.

Riva Studio 2 Ceramica Wave in Graphite.















## RIVA | STUDIO EDGE



Fire sizes	Studio 500	Studio 1	Studio 2	Studio 2 Duplex	Studio 3
Heat outputs	5.0kW	5.0kW	8.0kW	9.0kW	11.0kW
Maximum log lengths	250mm (10")	300mm (12")	400mm (16")	400mm (16")	500mm (20")
Frame dimensions mm (wxhxd) Edge	696 x 567 x 34*	740 x 418 x 34*	940 x 443 x 34*	940 x 454 x 34*	1327 x 448 x 44.5*
Frame dimensions mm (wxhxd) Edge 'Cool Wall'	700 x 578 x 59*	740 x 225 x 59*	940 x 450 x 59*	940 x 454 x 59*	1327 x 460 x 70*

<sup>\*</sup> Once installed, Edge kits are flush with the finished wall surface. Edge 'Cool Wall' kits are recessed 28mm (Studio 500, 1 & 2) or 13mm (Studio 3) from the finished surface.













The Riva Studio™ Edge is for those who require minimalist modern perfection. This contemporary fire has a seamless no-frame design, allowing your home's interior to frame and enhance the roaring flames. Combine this with the optional fan-assisted convection system and you can boost the flow of heat into your room whilst providing a beautiful focal point.

The Riva Studio<sup>™</sup> 500 has been specifically designed to fit into a standard 22" British fireplace opening without any additional builling work.

Further images of the Riva Studio™ Edge are shown on the back cover and page 53.

Left

Riva Studio 2 Frameless Edge shown with Stovax Pretoria Anthracite Matt 60 x 30cm Fireplace Tile Surround.

Right:

Riva Studio 3 Frameless Edge 'Cool Wall'.



## RIVA | STUDIO EDGE +



Fire sizes	Studio 500	Studio 1	Studio 2	Studio 2 Duplex	Studio 3
Heat outputs	5.0kW	5.0kW	8.0kW	9.0kW	11.0kW
Maximum log lengths	250mm (10")	300mm (12")	400mm (16")	400mm (16")	500mm (20")
Frame dimensions mm (wxhxd) Edge +	592 x 463 x 1	785 x 463 x 1	983 x 488 x 1	983 x 497 x 1	1372 x 493 x 1













New to the range and as a continuation from the Riva Studio  $^{\text{TM}}$ Edge, the Edge + provides a similarly frameless 'hole in the wall' fire look, yet offers the additional benefit of a more simplified finishing process.

A slim profile decorative frame, crafted from 1mm thick steel, overlays the finished wall surface and provides a perfectly crisp finish around the installation opening.

With a complementary Matt Black finish, the Riva Studio<sup>TM</sup> Edge + is a sophisticated and functional styling option that simply lets the Riva Studio's impressive flame picture provide all the aesthetic appeal!

Left:

Riva Studio 2 Edge +.

Right:

Riva Studio 500 Edge +.





## RIVA STUDIO GLASS

With its crisp lines and reflective surface, the Riva Studio™ Glass offers you a complete focal point around which to create your very own distinctive decorative style.

This sleek frame is available in all Riva Studio™ sizes, giving you the versatility to match your personal design and heating needs.



#### Studio 2 Duplex Fire sizes Studio 500 Studio 1 Studio 2 Studio 3 5.0kW 8.0kW 9.0kW 11.0kW Heat outputs 5.0kW Maximum log lengths 250mm (10") 300mm (12") 400mm (16") 400mm (16") 500mm (20") 1932 x 653 x 8 Frame dimensions mm (wxhxd) 1016 x 573 x 8 1209 x 573 x 8 1445 x 628 x 8 1445 x 628 x 8



Riva Studio 1 Glass. Also shown - Small curved log holder also available from Stovax.

Right:

Riva Studio 2 Glass.













## RIVA | STUDIO STEEL



Fire sizes	Studio 500	Studio 1	Studio 2	Studio 2 Duplex	Studio 3
Heat outputs	5.0kW	5.0kW	8.0kW	9.0kW	11.0kW
Maximum log lengths	250mm (10")	300mm (12")	400mm (16")	400mm (16")	500mm (20")
Frame dimensions mm (wxhxd)	1010 x 567 x 3	1203 x 567 x 3	1439 x 622 x 3	1439 x 622 x 3	1926 x 647 x 3















The Riva Studio<sup>™</sup> Steel is for those with large spaces who wish to create a greater presence with their choice of fireplace. Finished in Jet Black Metallic, the Studio Steel's wide frame instantly creates a distinctive and individual focal point.

For a splash of colour, the Riva Studio<sup>TM</sup> Steel can be customised with one of four additional colour finishes in Metallic Red, Metallic Blue, Metallic Bronze or Ivory. For further information please see pages 46 - 47.

Left:

Riva Studio 2 Steel.

Right:

Riva Studio 3 Steel.

Also shown: Large Ironworks log holder
& tool set also available from Stovax.



## RIVA | STUDIO STEEL XS



Fire sizes	Studio 2	Studio 2 Duplex
Heat outputs	8.0kW	9.0kW
Maximum log lengths	400mm (16")	400mm (16")
Frame dimensions mm (wxhxd)	1111 x 622 x 3	1111 x 622 x 3















Specifically designed for the Riva Studio 2 and Riva Studio 2 Duplex, the Steel XS offer the same minimal styling of the Steel frame but with slimmer proportions to suit narrower walls or spaces.

The Steel XS comes in smart Graphite or can be finished in one of four striking additional colour options to suit your interior tastes. For further information please see pages 46 - 47.

Left & Right:

Riva Studio 2 Steel XS.



## RIVA | STUDIO VERVE



Fire sizes	Studio 500	Studio 1	Studio 2	Studio 2 Duplex	Studio 3
Heat outputs	5.0kW	5.0kW	8.0kW	9.0kW	11.0kW
Maximum log lengths	250mm (10")	300mm (12")	400mm (16")	400mm (16")	500mm (20")
Frame dimensions mm (wxhxd)	1010 x 567 x 40	1203 x 567 x 48	1440 x 622 x 59	1440 x 622 x 59	1927 x 674 x 83















The Verve adds a curved 3D frame to the Riva Studio<sup>TM</sup> fire range. A statement frame to create a designer look, the Verve is finished in Jet Black Metallic and is available in all Riva Studio<sup>TM</sup> sizes.

The Riva Studio<sup>™</sup> Verve is also available with our selection of vibrant colour options; Metallic Red, Metallic Blue, Metallic Bronze or Ivory. For further information please see pages 46 - 47.

Left:

Riva Studio 2 Verve.

Right:

Riva Studio 3 Verve.





## RIVA STUDIO BAUHAUS

The Riva Studio™ Bauhaus is a classic three dimensional tapered frame. This frame comes in two finishes and is offered on all sizes of Riva Studio™ fires, enabling you to perfectly match the Bauhaus to whatever the size and style of your room. Whether you opt for the contemporary Polished Stainless Steel or the refined lines of the Jet Black Metallic finish, the Bauhaus will heat your home in flawless style.

The Riva Studio™ Bauhaus is available with a choice of four additional vibrant colour options to further customise your choice of fire. Please see pages 46 - 47 for further information.



#### Left:

Studio 3 Bauhaus in Polished Stainless Steel.

#### Right:

Studio 2 Bauhaus in Jet Black Metallic. Also shown - Medium log holder also available from Stovax.

Fire sizes	Studio 500	Studio 1	Studio 2	Studio 2 Duplex	Studio 3
Heat outputs	5.0kW	5.0kW	8.0kW	9.0kW	11.0kW
Maximum log lengths	250mm (10")	300mm (12")	400mm (16")	400mm (16")	500mm (20")
Frame dimensions mm (wxhxd)	657 x 528 x 36	850 x 526 x 36	1050 x 554 x 36	1090 x 594 x 36	1437 x 559 x 49















27

<sup>6</sup>When fitted with an Optional External Air Kit

## RIVA STUDIO FIRENZA, PIENZA & SIENNA





The Riva Studio™ stone frames offer three stylish natural options to complement your Studio fire. This range has been created to add maximum visual impact, blending the subtle textures and delicate tones of natural stone with the very latest in fireplace design, offering a solid quality to expertly contrast with the fluid motion of the rolling flames.

Whether it's the polished black granite Firenza, the timeless limestone Pienza or the stylish travertine Sienna, your choice from this stunning collection will add that look of undeniable elegance to your interior that is only achieved by using solid stone.

Available for either the Riva Studio<sup>™</sup> 1, 2 or 2 Duplex and at home in both contemporary and modern interiors, these precision-cut, stunning frames offer the ultimate in design perfection. Style has never been so effortless.

Fire sizes	Studio 1	Studio 2	Studio 2 Duplex
Heat outputs	5.0kW	8.0kW	9.0kW
Max. log lengths	300mm (12")	400mm (16")	400mm (16")
Frame dimensions mm (wxhxd)	1480 x 597 x 18	1720 x 621 x 18	1720 x 621 x 18













<sup>o</sup>When fitted with an Optional External Air Kit





## RIVA STUDIO SORRENTO

If you wish to hearth mount your Riva Studio<sup>TM</sup> then the graceful Sorrento presents the perfect solution. Crafted from either elegant limestone or striking polished black granite, the addition of this surround offers a designer focal point around which to create your own individual decorative style.

Available for either the Riva Studio<sup>™</sup> 500, 1 or 2, the solid stone Sorrento is the perfect enhancement to the already impressive Riva Studio<sup>™</sup> fire, ensuring that your fireplace remains at the heart of your home - even when it isn't burning!

The Riva Studio<sup>™</sup> 500 Sorrento (shown below) is available in Polished Black Granite only and has matching granite panels on either side of the fire that are recessed from the outer frame.





Fire sizes	Studio 500	Studio 1	Studio 2	Studio 2 Duplex
Heat outputs	5.0kW	5.0kW	8.0kW	9.0kW
Maximum log lengths	250mm (10")	300mm (12")	400mm (16")	400mm (16")
Frame dimensions mm (wxhxd)	1338 x 678 x 300	1338 x 678 x 300	1536 x 703 x 300	1536 x 703 x 300













<sup>6</sup>When fitted with an Optional External Air Kit



## RIVA STUDIO DUPLEX

The Riva Studio™ range has long been appreciated for its widescreen flame picture, high efficiency output and extensive selection of frame style choices. The new Riva Studio™ 2 Duplex has been introduced to offer a heat output of up to 9kW and exceptional views of the flames which can be enjoyed from two rooms at once creating an eye-catching feature and plenty of warmth and ambiance for your home.



The new high efficiency, double-sided Riva Studio™ 2 Duplex fire offers the ultimate stylish solution to practical dual space heating and a truly awe-inspiring focal point for your home.

### Key Features

- TCL (Technical Combustion Lining)
   High density thermal liner system
- 2. Heated air jets from cleanburn ports burn hydrocarbons in smoke
- 3. Airwash air flow
- 4. Primary control
- 5. Removable handle and door opening catch
- 6. Convected and radiant heat
- 7. Convected heat ducting system outlet
- 8. Easy fit flue connection
- 9. Removable baffles
- 10. Optional fully sealed external air facility
- 11. Optional Smoke Control Kit (not illustrated)











<sup>\*</sup>Please note: The Riva Studio Duplex should only be installed into a wall made specially to hold the fire and not retrofitted into an existing wall.



### Duplex Frame Options

The Riva Studio 2 Duplex has the benefit of dual styling possibilities, allowing you to select a different look for each side of the fire - offering double the impact in your home. Whether opting for a minimalist Edge look with its frameless design or choosing a Glass frame with its sparkling, reflective black glass, there are a selection of frame styles that will attract the eye and enhance your two interior spaces. A selection of the stylish frame choices are shown overleaf, however for a complete frame style reference, please see pages 8 - 9.

### Fully Sealed External Air Supply

The Riva Studio Duplex also benefits from an optional External Air Combustion Facility. By removing the need of an air vent in your room<sup>†</sup>, this offers a draught-free provision of air for combustion giving extra comfort to your home.



<sup>&</sup>lt;sup>†</sup> Subject to a successful spillage test.



## RIVA | STUDIO DUPLEX

One of the latest exciting additions to the Riva Studio<sup>TM</sup> range is the Riva Studio<sup>TM</sup> 2 Duplex - offering unrivalled flame pictures in two rooms at once! With a wealth of frame options to choose from, the Riva Studio<sup>TM</sup> 2 Duplex can be styled completely independently on either side to maximise the potential of your own decorative tastes.

The Duplex produces an impressive 9kW heat output, is up to 75% efficient and provides an impressive visual focal point in two rooms at once.



 Fire Size
 Studio 2 Duplex

 Heat Output
 9.0kW

 Maximum Log Length
 400mm (16")

**Left :** Riva Studio 2 Duplex Glass.

Riva Studio 2 Duplex Edge













Above:



## RIVA | STUDIO BENCH - GLASS & STEEL FRAMES

The Bench frame models, allow the same ultra-contemporary styling of the cassette Glass and Steel frames to be brought out into the room, creating extra impact for larger rooms and an impressive designer statement.

Using a special frame to encase your Riva Studio<sup>TM</sup> 1, 2 or 3 cassette fire and by incorporating one of Stovax's unique Riva Benches in either high or low options, the Bench Glass and Bench Steel become impressive stand alone fires.

Riva Bench required	Low	High
Riva Bench 100	RVACLB 100BHT	RVACB100BHT
Riva Bench 120	RVACLB120BHT	RVACB120BHT
Riva Bench 140*	RVACLB140BHT	RVACB140BHT

<sup>\*</sup>The Riva Studio 3 is only compatible with the 140 Low & High benches

#### Frame required (includes casing)

	Steel	Glass
Riva Studio™ 1	RVBS-1FST	RVBS-1FGB
Riva Studio™ 2	RVBS-2FST	RVBS-2FGB
Riva Studio™ 3	RVBS-3FST	RVBS-3FGB

#### Additional options

Black glass top plate (Studio 1)	RVBS-1BG
Black glass top plate (Studio 2)	RVBS-2BG
Black glass top plate (Studio 3)	RVBS-3BG
Decorative square section flue cover *	RVFS-SFCO
Smoke Control Kit (Studio 1)	RVS-1SCKIT
Smoke Control Kit (Studio 2)	RVS-2SCKIT

Fire sizes	Studio 1	Studio 2	Studio 3*
Heat outputs	5.0kW	8.0kW	11.0kW
Maximum log lengths	300mm (12")	400mm (16")	500mm (20")

AIRWASH System







Riva Studio 2 Bench Steel with 120 High Bench and decorative square section flue cover. Also shown - Contemporary bevelled tool set also available from Stovax.

For full technical specifications and dimensions, please refer to pages 49 & 51

Above:

<sup>\* 215</sup> x 1800 x 212mm (wxhxd)



# RIVA | STUDIO 500 FREESTANDING

The Studio 500 Freestanding is a new addition to the range, further extending and complementing the already impressive choice of Riva Studio™ fires available. This high performing fire has a compact, yet innovative design, broadening the Riva Studio's versatility and suitability to a variety of homes.

With a heat output to match that of the Studio 1, the 500 will provide ambiance and warmth to a cosy inglenook. It can also be teamed with a number of optional extras including the black glass top plate for a sleek and shining finish. The 500 can also be placed on one of our Riva Benches to create a real style statement - see page 44 for further details.

A further image of the Riva Studio™ 500 Freestanding is shown on page 49.

#### Additional options

Black glass top plate	RVFS-500GB
Decorative black flue ring cover	RVAC220B
Decorative square section flue cover *	RVFS-SFCO
Smoke Control Kit	RVS-500SCKIT
Heat Shield kit*	RVFS-500HSK
Riva Bench 100 Low	RVACLB 100BHT
Riva Bench 100 High	RVACB100BHT
Riva Bench 120 Low	RVACLB 120BHT
Riva Bench 120 High	RVACB120BHT
Riva Bench 140 Low	RVACLB140BHT
Riva Bench 140 High	RVACB 140BHT
Riva Bench 180 Low	RVACLB180BHT
Riva Bench 180 High	RVACB180BHT

<sup>\* 215</sup> x 1800 x 212mm (w x h x d)



Fire size	Studio 500
Heat output	5.0kW
Maximum log length	250mm (10")
Box dimensions mm (wxhxd)	607 × 479 × 382











Riva Studio 500 Freestanding.

Right

Left:

Riva Studio 500 Freestanding on a 100 Low Riva Bench. Also shown: Medium log holder also available from Stovax.

<sup>\*</sup>Available when fitted to a Riva Bench

## RIVA | STUDIO 1 FREESTANDING



Fire size

Studio 1

Heat output

5.0kW

Maximum log length

300mm (12")

Box dimensions mm (wxhxd)

800 x 479 x 380

#### Above:

Studio 1 Freestanding with black glass top plate and decorative square section flue cover.

#### Right:

Studio 1 Freestanding on 120 Low Bench with black glass top plate and gloss black enamelled flue pipe.











The next size up in our Riva Studio™ Freestanding range, the Studio 1 incorporates the impressive firebox performance of a cassette fire with the welcoming presence of a stove. Available with a number of optional extras to help you create the right look for your home, the Riva Studio™ 1 Freestanding can be hearth mounted or installed on a Riva Bench. An optional heat shield kit can be fitted to the bench in order to reduce the distance to combustible materials if required.

Other styling options include a black glass top plate, gloss black enamel flue pipe, square section flue covers and flue ring covers, all of which are designed to provide an integrated and cohesive look to your new fire.

#### Additional options

•	
Black glass top plate	RVFS-1GB
Decorative black flue ring cover	RVAC220B
Decorative square section flue cover*	RVFS-SFCO
Smoke Control Kit	RVS-1 SCKIT
Heat Shield kit <sup>†</sup>	RVFS-1HSK
Riva Bench 100 Low	RVACLB100BH1
Riva Bench 100 High	RVACB100BHT
Riva Bench 120 Low	RVACLB120BHT
Riva Bench 120 High	RVACB120BHT
Riva Bench 140 Low	RVACLB140BHT
Riva Bench 140 High	RVACB140BHT
Riva Bench 180 Low	RVACLB180BHT
Riva Bench 180 High	RVACB180BHT

\*215 x 1800 x 212mm (w x h x d )

†Available when fitted to a Riva Bench





# RIVA | STUDIO 2 FREESTANDING

This Freestanding version of the Riva Studio™ 2 offers you up to 8kW of heating capacity as well as superb views of the flames. Featuring exactly the same firebox attributes as other Riva Studios<sup>TM</sup>, the Freestanding version may be mounted on a hearth or installed onto your choice of six optional Riva Benches.

You can also specify options such as a black glass top plate, gloss black enamel flue pipe, and square section flue cover to create your own bespoke look.

An optional heat shield kit can be fitted to the bench in order to reduce the distance to combustible materials if required.

#### Additional options

Black glass top plate	RVFS-2GB
Decorative black flue ring cover	RVAC220B
Decorative square section flue cover*	RVFS-SFCO
Smoke Control Kit	RVS-2SCKIT
Heat Shield kit <sup>†</sup>	RVFS-2HSK
Riva Bench 120 Low	RVACLB120BHT
Riva Bench 120 High	RVACB120BHT
Riva Bench 140 Low	RVACLB140BHT
Riva Bench 140 High	RVACB140BHT
Riva Bench 180 Low	RVACLB180BHT
Riva Bench 180 High	RVACB180BHT

<sup>\*215</sup> x 1800 x 212mm (wxhxd) †Available when fitted to a Riva Bench



Maximum log length

Fire size

Heat output







Studio 2

8.0kW

400mm (16") 1000 x 504 x 380



Above:

Studio 2 Freestanding

on 140 Low Bench with gloss black enamelled flue pipe.

Studio 2 Freestanding with black glass top plate and decorative square section flue cover. Also shown: Ironworks Loop tool set also available from Stovax.

# RIVA | STUDIO 3 FREESTANDING



Fire size Studio 3

Heat output 11.0kW

Maximum log length 500mm (20")

Box dimensions mm (wxhxd) 1389 x 516 x 445

#### Above:

Riva Studio 3 Freestanding shown with Black Glass Top Plate

#### Right:

Riva Studio 3 Freestanding on Riva 180 High Bench shown with Black Glass Top Plate









The largest in the range is the striking Riva Studio™ 3

Freestanding. This highly efficient and visually impressive fire has the same 11kW of heat output and stunning widescreen views of the flames as its cassette equivalent but offers a very different look.

Designed to be sited on to the optional Riva 180 Bench, or hearth mounted to achieve the distinctive stove look, the Studio 3 Freestanding will create maximum visual impact in rooms of larger proportions. It also has the ability to be fitted with an optional rear heat shield to reduce the distance to combustible materials behind the appliance and extend the styling possibilities further still.

#### Additional options

Black glass top plate
Decorative black flue ring cover RVAC220B
Decorative square section flue cover*RVFS-SFCO
Heat Shield kit <sup>†</sup> RVFS-3HSK
Riva Bench 180 LowRVACLB180BH
Riva Bench 180 HighRVACB180BHT

\*215 x 1800 x 212mm ( $w \times h \times d$ ) <sup>†</sup>Available when fitted to a Riva Bench




### COLOURED FRAME OPTIONS







To add a splash of colour to your cassette fire,
Stovax is pleased to offer a choice of vibrant
finishes on selected Riva Studio frames. The four
eye catching colour finishes are Metallic Bronze,
Metallic Blue, Metallic Red and Ivory and are available for the



Look for the Colour Frame Choices Logo on available frames throughout this brochure. When ordering, please use the following suffix for your chosen colour:









Metallic Red (RD)

Metallic Blue (BL)


Metallic Bronze (BZ)


ic Ivory (IV)


Frames Available	Page
Riva Studio™ Profil	10 - 1
Riva Studio™ Steel	20 - 2
Riva Studio™ Steel XS	22 - 23
Riva Studio <sup>TM</sup> Verve	24 - 25
Riva Studio <sup>TM</sup> Bauhaus	26 - 27



# RIVA STUDIO INFORMATION







**CASSETTE DIMENSIONS** 

**DUPLEX DIMENSIONS** 

FREESTANDING DIMENSIONS \*\*

(All dimensions in mm)	Studio 500	Studio 1	Studio 2	Studio 3	Studio 2 Duplex	Studio 500 FS	Studio 1 FS	Studio 2 FS	Studio 3 FS
A	552	<i>7</i> 45	950	1332	950	607	800	1000	1389
В	415	415	440	450	550	479	479	504	516
С	350	350	350	393	402 - 414◆	382	380	380	445
D	628	821	1019	1406	1020	-	-	-	-
E	497	497	522	532	-	-	-	-	-
F	246	246	246	291	200	260	260	260	325
G	380	480	610	610/1010*	610	-	-	-	-
Ηø	153	153	153	153	153	153	153	153	153
K	240	240	240	275	200	-	-	-	-
L	562	755	960	1342	-	-	-	-	-
М	435	435	460	470	-	-	-	-	-
N	355	355	355	405	-	-	-	-	-
0	100	100	115	115	-	-	-	-	-
P	25	25	25	25	-	-	-	-	-
Q	365	605	750	750	-	-	-	-	-
Flame Viewing Window (W x H)	397 x 263	590 x 263	790 x 289	1177 x 286	790 x 289	397 x 263	590 x 263	790 x 289	1177 x 286
Weight	88kg	91 Kg	112Kg	175Kg	166Kg	95Kg	105Kg	130Kg	185Kg

<sup>†</sup> Extra height required when fitting Warm Air Ducting kit. ‡ If a fan kit is required, please allow 250mm for fitting.

<sup>\*</sup> Studio 500 1, 2 & 2 Duplex models have two air duct outlets whilst Studio 3 models have four.

Please refer to installation manual for minimum distances to combustible materials.


 $<sup>\</sup>Delta$  The Riva Studio Duplex should only be installed into a wall made specially to hold the fire and not retrofitted into an existing wall.

<sup>\*\*</sup> For complementary benches to go with the Freestanding models, please see information provided on page 52.

Adjustable depth.

A HETAS approved installer should undertake a site survey prior to purchase and must install your Riva Studio for you. Your Stovax retailer will be able to offer advice on this. You may also view or download complete installation instructions from our website - www.stovax.com. The diagrams and dimensions on these pages cover some of the basic requirements and are for initial information purposes only.

#### BENCH - STEEL & GLASS FRAMES



BENCH DIMENSIONS WITH BENCH CASING \*

Studio 1	Studio 2	Studio 3
800	1000	1400
735/835	766/866	770/870
420	420	420
1000	1000	1400
246	246	291
153	153	153
	800 735/835 420 1000 246	800     1000       735/835     766/866       420     420       1000     1000       246     246

<sup>•</sup> Please note that the Bench casing is required to fit a Glass or Steel frame to a Bench model, and is included with the frame codes and dimensions on page 51.

RIVA STUDIO FIRE INFORMATION					
Product Code	Description	Heat Output	Fuel Type	Efficiency	
RVS-500	Riva Studio 500	5.0kW	Wood	80%	
RVS-1	Riva Studio 1	5.0kW	Wood	75%	
RVS-2	Riva Studio 2	8.0kW	Wood	75%	
RVS-2DS	Riva Studio 2 Duplex	9.0kW	Wood	75%	
RVS-3	Riva Studio 3	11.0kW	Wood	75%	
RVFS-500	Riva Studio 500 Freestanding	5.0kW	Wood	80%	
RVFS-1	Riva Studio 1 Freestanding	5.0kW	Wood	75%	
RVFS-2	Riva Studio 2 Freestanding	8.0kW	Wood	75%	
RVFS-3HT	Riva Studio 3 Freestanding	11.0kW	Wood	76%	



# FRAME INFORMATION

#### RIVA STUDIO 500 CASSETTE (all dimensions in mm)

Product Code	Description	Width	Height	Depth
RVS-500FPRO4	Profil <sup>◊</sup>	646	517	33
RVS-500FST	Steel <sup>6</sup>	1010	567	3
RVS-500FGBHT	Glass◊	1016	573	8
RVS-500FV	Verve	1010	567	48
RVS-500FB	Bauhaus Jet Black Metallic	657	528	49
RVS-500FBP	Bauhaus Polished Stainless Steel	657	528	49
RVS-500FSPG	Sorrento Polished Black Granite	1338	678	300
Options				
RVS-500FEK	Edge Kit	696	567	34*
RVS-500FCVVK	Edge 'Cool Wall' Kit	700	578	59**
RVS-500FEPLUS	Edge + Kit <sup>†</sup>	700	573	34**

#### RIVA STUDIO 1 CASSETTE (all dimensions in mm)

Product Code	Description	Width	Height	Depth
RVS-1FPRO4	Profil <sup>◊</sup>	839	517	33
RVS-1FST	Steel <sup>◊</sup>	1203	567	3
RVS-1FGBHT	Glass <sup>◊</sup>	1209	573	8
RVS-1FCWG	Ceramica Wave <sup>◊</sup> Graphite	1480	665	19
RVS-1FCWW	Ceramica Wave <sup>◊</sup> Oyster White	1480	665	19
RVS-1FCWGW	Ceramica Wave <sup>◊</sup> Graphite & Oyster White	1480	665	19
RVS-1FV	Verve	1203	567	48
RVS-1FB	Bauhaus Jet Black Metallic	850	526	36
RVS-1FBP	Bauhaus Polished Stainless Steel	850	526	36
RVS-1FFR	Firenza	1480	597	18
RVS-1FPZ	Pienza	1480	597	18
RVS-1FSN	Sienna	1480	597	18
RVS-1FSNL	Sorrento Natural Limestone	1338	678	300
RVS-1FSPG	Sorrento Polished Black Granite	1338	678	300
Options				
RVS-1FEK	Edge Kit	889	567	34*
RVS-1FCWK	Edge 'Cool Wall' Kit	893	578	59**
RVS-1FEPLUS	Edge + Kit <sup>†</sup>	893	573	34**

#### RIVA STUDIO 2 CASSETTE (all dimensions in mm)

Product Code	Description	Width	Height	Depth
RVS-2FPRO4	Profil <sup>◊</sup>	1039	542	33
RVS-2FST	Steel <sup>()</sup>	1439	622	3
RVS-2FSTXS	Steel XS	1111	622	3
RVS-2FGBHT	Glass <sup>◊</sup>	1445	628	8
RVS-2FCWG	Ceramica Wave <sup>◊</sup> Graphite	1880	690	19
RVS-2FCWW	Ceramica Wave <sup>◊</sup> Oyster White	1880	690	19
RVS-2FCWGW	Ceramica Wave <sup>◊</sup> Graphite & Oyster White	1880	690	19
RVS-2FV	Verve	1440	622	59
RVS-2FB	Bauhaus Jet Black Metallic	1050	554	36
RVS-2FBP	Bauhaus Polished Stainless Steel	1050	554	36
RVS-2FFR	Firenza	1720	621	18
RVS-2FPZ	Pienza	1720	621	18
RVS-2FSN	Sienna	1720	621	18
RVS-2FSNL	Sorrento Natural Limestone	1536	703	300
RVS-2FSPG	Sorrento Polished Black Granite	1536	703	300
Options				
RVS-2FEK	Edge Kit	1089	592	34*
RVS-2FCWK	Edge 'Cool Wall' Kit	1093	603	59**
RVS-2FEPLUS	Edge + Kit <sup>†</sup>	1073	598	34**

#### RIVA STUDIO 3 CASSETTE (all dimensions in mm)

Product Code	Description	Width	Height	Depth
RVS-3FPRO4	Profil <sup>◊</sup>	1426	547	45
RVS-3FST	Steel <sup>◊</sup>	1926	647	3
RVS-3FGBHT	Glass◊	1932	653	8
RVS-3FV	Verve	1927	674	83
RVS-3FB	Bauhaus Jet Black Metallic	1437	559	49
RVS-3FBP	Bauhaus Polished Stainless Steel	1437	559	49
Options				
RVS-3FEK	Edge Kit	1476	597	44.5*
RVS-3FCWK	Edge 'Cool Wall' Kit	1480	613	70 **
RVS-3FEPLUS	Edge + Kit <sup>†</sup>	1480	603	34**

<sup>†</sup> The Edge + kit is a complete kit including the decorative frame and has no requirement for, nor is compatible with, any other Edge or Cool Wall kits.

<sup>\*</sup> Once installed, Edge Kits are flush with the finished wall surface. # Depth is adjustable between 32mm and 52mm between Edge + frame and kit when fitted.

<sup>\*\*</sup> Once installed, Edge 'Cool Wall' Kits are recessed 28mm (Studio 1, 2 & 2 Duplex) or 13mm (Studio 3) from the finished surface.

<sup>&</sup>lt;sup>⋄</sup> Registered European Designs 001169338\_0001/8

A HETAS approved installer should undertake a site survey prior to purchase and must install your Riva Studio for you. Your Stovax retailer will be able to offer advice on this. You may also view or download complete installation instructions from our website - www.stovax.com. The diagrams and dimensions on these pages cover some of the basic requirements and are for initial information purposes only.

#### RIVA STUDIO 2 DUPLEX DOUBLE-SIDED CASSETTE (all dimensions in mm)

Product Code	Description	Width	Height	Depth
RVS-2FPRO4VV	Profil (Wide)◊	1089	592	33
RVS-2FST	Steel <sup>◊</sup>	1439	622	3
RVS-2FSTXS	Steel XS	1111	622	3
RVS-2FGBHT	Glass <sup>◊</sup>	1445	628	8
RVS-2FCWG	Ceramica Wave <sup>♦</sup> Graphite	1880	690	19
RVS-2FCWW	Ceramica Wave <sup>♦</sup> Oyster White	1880	690	19
RVS-2FCWGW	Ceramica Wave Graphite & Oyster White	1880	690	19
RVS-2FV	Verve	1440	622	59
RVS-2FBW	Bauhaus Jet Black Metallic	1090	594	36
RVS-2FBPW	Bauhaus Polished Stainless Steel	1090	594	36
RVS-2FFR	Firenza	1720	621	18
RVS-2FPZ	Pienza	1720	621	18
RVS-2FSN	Sienna	1720	621	18
RVS-2FSNL	Sorrento Natural Limestone	1536	703	300
RVS-2FSPG	Sorrento Polished Black Granite	1536	703	300
Options				
RVS-2FEKW	Edge Kit	1089	592	34*
RVS-2FCWKW	Edge 'Cool Wall' Kit	1093	603	59**
RVS-2FEPLUSW	Edge + Kit <sup>†</sup>	1073	598	34**

#### RIVA STUDIO 1, 2 & 3 BENCH WITH STEEL OR GLASS FRAME (all dimensions in mm)

Product Code	Description	Width <sup>a</sup>	Height <sup>Δ</sup>	$Depth^{\Delta}$
RVBS-1FST	Studio 1 Bench Steel®	1203	567	3
RVBS-1FGB	Studio 1 Bench Glass <sup>◊</sup>	1209	573	8
RVBS-2FST	Studio 2 Bench Steel <sup>◊</sup>	1439	622	3
RVBS-2FGB	Studio 2 Bench Glass <sup>◊</sup>	1445	628	8
RVBS-3FST	Studio 3 Bench Steel <sup>◊</sup>	1926	647	3
RVBS-3FGB	Studio 3 Bench Glass ◊	1932	653	8

 $<sup>\</sup>Delta$  Dimensions are for the frame only. For total dimensions including the cassette and bench casing, please refer to information provided on page 49



Riva Studio 3 Profil in Jet Black Metallic.

## FURTHER INFORMATION

### Riva Benches

These stunning benches, compatible with the Riva Studio<sup>TM</sup> Freestanding 500, 1, 2 & 3\* & required for all Riva Studio<sup>TM</sup> Bench frame models, offer infinitely greater design possibilities. With four widths and two heights to choose from, you can be sure to satisfy your individual styling requirements.


- Sturdy steel construction
- Choice of 4 widths & 2 heights
- Durable matching black finish
- Proportioned 60mm wide legs
- Allows for central or offset stove positioning
- High:  $1000/1200/1400/1800 \times 350 \times 420/465$ †mm (w x h x d)
- Low:  $1000/1200/1400/1800 \times 250 \times 420/465$ †mm (w x h x d)



### Riva Studio Heat Shields

Stovax has introduced a range of highly effective Heat Shields for the Riva Studio<sup>TM</sup> Freestanding range. Available for all sizes of Freestanding models: Studio 500, 1, 2 and 3, and only when fitted to a Riva Bench, these fantastic additions allow a reduction of up to 85% in the distance to combustible materials at the rear of the appliance – reducing this to just 75mm.

The Riva Studio<sup>™</sup> Heat Shields not only maximise the available space within the room, but they also enable you to accommodate a wider range of materials in your interior design.





Riva Studio 2 Freestanding on 140 Low Bench

<sup>\*</sup> Riva Studio 3 Freestanding fires may be mounted onto a Riva 180 Bench only. † Riva 180 Bench only.

## Edge and Cool Wall Kits


#### Edge/Edge + Kit (cassette fires only)

This kit is screw-mounted to the front flange of the outer firebox. The L-shaped attachments provide a 34/44.5mm<sup>†</sup> return against which high temperature plasterboard/screed can be butted up for the 'clean edge' look. The Edge Kit is made in aluminised steel which can then be painted to match the decor of your room. The Edge + has a decorative slim frame that fits over the finished installation opening.

#### Cool Wall Kit (cassette fires only)

Again, screw-mounted to the front flange of the outer firebox, the U-shaped attachments of the Cool Wall kit are designed primarily for studwork or false chimney breasts. The additional depth allows some of the heat to be vented up into the void above the firebox and then re-enter the room at a higher level. The effect is to produce a cooler wall immediately above the appliance than would otherwise be the case. The Cool Wall Kit is made in aluminised steel which can then be painted to match the decor of your room.

† 34mm Studio 500, 1 & 2 / 44.5mm Studio 3



Please note: Diagram shows an Edge Kit. An Edge + Kit has an additional decorative frame that finishes the installation opening.

NB: When using the Edge Kit and Edge + Kit, heat resistant board and high temperature finishing plaster must be used. Please refer to installation instructions for full details of both kits which can be downloaded from www.stovax.com



## FURTHER INFORMATION

## Riva Studio Visualiser iPad App

The Stovax Riva Studio™ Visualiser gives you a visual concept of having a real woodburning fire in your room. Intuitive, convenient and easy to use, the Riva Studio™ Visualiser enables you to view all fires in the Stovax Riva Studio™ range against a photo of your room or within a pre-loaded professional set to give you plenty of ideas and inspiration!


The Stovax Riva Studio<sup>™</sup> Visualiser helps you choose the right fire and frame option, as well as the perfect location in your room. You can take your own room photos from within the application or use our pre-loaded inspirational room designs onto which you can view and select your favourite Riva Studio<sup>™</sup> woodburning fire from the range. When you're happy with the result, simply capture the final image, which automatically saves to your Camera Roll on your device. The app is free and available to download from the App Store direct to your iPad now.

#### The Riva Studio Visualiser app is designed to enable you to:

- take a photo with the built-in camera on your device
- use any of the pre-loaded inspirational room sets
- use any existing photo in your photo library
- choose from the very latest woodburning Riva Studio™ Cassette, Freestanding & Bench Mounted Fires
- swipe screen to easily change your fire choice
- pinch, zoom & drag your chosen fire to approximately scale the fire to the room\*
- save the completed design to your Camera Roll
- find your local retailer (internet connection required)
- \* The fires in this Application are not representative of their actual size.

Please note: the Stovax Riva Studio Visualiser is to be used as an interior design aid only and by no means should be used to base your purchase and installation decisions upon.












To view the Riva Studio Visualiser app page and to download the app, simply scan this code

## Warm Air Ducting kit





## 10° Angled Flue Outlet



This optional flue outlet for the Riva Studio™ Cassettes offers greater installation flexibility and ease, especially in larger openings with deeper lintels.

## Warranty & Safety Details



When you choose a Stovax Riva Studio<sup>TM</sup> cassette or freestanding fire, quality and technology are assured. Accordingly, your Stovax retailer Stovax Expert Retailer will provide you with a Five Year Extended Warranty for your new Riva Studio<sup>TM</sup> cassette or freestanding fire, provided it is registered with Stovax. Please note, this warranty excludes certain consumable parts. Stoves purchased outside of Stovax's Expert Retailer Network will carry a standard 1 Year Warranty. Full warranty terms & conditions are available to view at www.stovax.com

Stovax pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase. All fire and flame photography has been taken from genuine products, however, the exact appearance of the flame picture for any appliance will vary depending on the nature of the flue type, installation surroundings, local geographical features and the way in which the appliance is operated.

Please note that all parts of these fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm.





### Care of your Riva Studio Fire





To help you get the best performance from your Riva Studio™ fire and keep it in good condition, inside and out, Stovax offers a wide variety of cleaning and maintenance products. Stovax also supplies

an extensive range of fireplace accessories, including contemporary tool sets and log holders, about which your Stovax retailer will be able to give you full details. Alternatively, you can view the complete range by visiting **www.stovax.com** or by simply scanning the code above.

## Professional XQ<sup>™</sup> Chimney Systems & Enamelled Flue Pipe

Stovax also offers a comprehensive range of stove and fireplace chimney systems: the Stovax Professional XQ<sup>TM</sup> collection. Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within.





With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQ<sup>TM</sup> range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQ<sup>TM</sup> range carries a 10 year conditional warranty offering complete peace of mind. For further information or to request a brochure, simply contact your local retailer or visit www.stovax.com/chimneysystems.



Riva Studio 3 Frameless Edge



Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7LF

 Trade Sales
 Tel: 01392 474000
 Fax: 01392 219932

 Export Sales
 Tel: +44 1392 261990
 Email: info@stovax.com

 Other depts
 Tel: 01392 474011
 www.stovax.com

A member of the Stovax Group

#### Stovax gratefully acknowledges the assistance of the following companies with photographic settings:

 John Lewis - www.johnlewis.com
 Original Style - www.originalstyle.com
 Debenhams - www.debenhams.co.uk

 Furniture Village - www.furniturevillage.com
 Habitat - www.habitat.co.uk
 Amos Lighting - www.amoslighting.co.uk

House of Fraser - www.houseoffraser.co.uk Orange Tree - www.theorangetree.co.uk

To view & download our complete range of brochures, simply scan this code or visit www.stovax.com













